

ANNEXURE- V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2025-26

Clinical Material in Hospital

Name of College / Institute: - Maa Ganga College of Nursing, Washim


Faculty: - Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate / Inadequate
1	The Institute / College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)		Adequate
a	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:		Adequate
b	Student Bed Ratio for UG & PG to be verified: (As per MSR) <u>1:3</u>		Adequate
c	Average Bed Occupancy in % : (Minimum 75%) <u>80%</u>		Adequate
d	Clinical facilities for PG to be verified: (As per MSR)		N.A.
	i) Whether OPD in functioning to be verified		Adequate
	ii) Total No of OPD (on the day of inspection) <u>219</u>		Adequate
	iii) Average Number of patients attending OPD (current year) <u>79935</u>		Adequate
	iv) Average Number of Delivery (current year) <u>1096</u>		Adequate
	v) Average Number of abnormal Delivery (current year) <u>715</u>		Adequate
	<ul style="list-style-type: none"> As per Central Council Norms / University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any documents. In case of "Inadequate", if must be mark as "Inadequate" with evidence. 		

**Here we declare all relevant document uploaded are clear and visible on web site
 & are true as per my knowledge & Belief
 Any Other, Please Specify: -**

Date: - 06/02/2025


 Dean/ Principal Stamp & Signature
Principal
Maa Ganga College of Nursing
Washim

Chairman of LIC

Member of LIC

Member of LIC

Vasundhara Technical Institute's
Maa Ganga College of Nursing, Washim

CLINICAL FACILITY

NAME OF THE PARENT HOSPITAL ALONG WITH ADDRESS	NUMBER OF BEDS
MAA GANGA MEMORIAL BAHETI HOSPITAL, AKOLA NAKA, WASHIM – 444505	100
NAME OF THE AFFILIATED HOSPITAL ALONG WITH ADDRESS	NUMBER OF BEDS
DISTRICT WOMEN HOSPITAL, WASHIM	100
MAA GANGA REHABILITATION AND RESEARCH CENTRE, WASHIM	100
DR. VORA HOSPITAL, WASHIM	50
DEOLE HOSPITAL HEART CRITICAL CARE, WASHIM	50
MAHESH CARE HOSPITAL, WASHIM	50
INGLE MANSIK AROGYA KENDRA, WASHIM	50
TOTAL	500



Principal
Maa Ganga College of Nursing
Washim



महाराष्ट्र MAHARASHTRA

2023

CD 503228



UNDERTAKING

I Dr. Harish Sitaram Baheti S/o Mr. Sitaram Baheti, aged 61 Years resident at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 would like to submit the following undertaking -

1. I am lifetime member of the trust named Vasundhara Technical Institute at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 accurred for member of trust.
2. Maa Ganga Nursing School is established and managed by Vasundhara Technical Institute, Washim.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक :

४६६२ दिनांक २६/०६/२०२४

२. दस्तावा प्रकार :

३. दस्त नोंदणी करणार आहेत काय ?

होय/नाही

४. मिळकतीचे थोडक्यात वर्णन

५. मुद्रांक विक्रीत घेणार्याचे नांव पत्ता व सही :

६. दुस-या पक्षाकार्याचे नांव


७. मुद्रांक शुल्क रुपये ५००/- रुपये

८. परवाना धारक मुद्रांक विक्रीच्या सही व

परवाना कमांक तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता

ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करिता यांनी

मुद्रांक खरेदी केल्या पासून ६ महिन्यात वापरणे बंधनकारक आहे



एस. के. खंडाळकर

मुद्रांक विक्रेता, वाशिम

प. क्र. २०/९८

कोड नं. ६५०१००३

3. Maa Ganga Memorial Baheti Hospital is owned by Vasundhara Technical Institute, Washim – 444505 (MH) at the distance 0 km from Maa Ganga College of Nursing, Washim.

4. My Hospital would continue to function as “Parent Hospital” of this College named Maa Ganga College of Nursing, Washim managed by the trust for life time.

5. I would not allow the hospital to be treated as a “Parent Hospital” to any other nursing institution / College in future.

Date :- 26/06/2024

Place :- Washim

Executant(S)

Principal

Maa Ganga Nursing School

Washim

Principal

Maa Ganga Nursing School

Washim

Executant(S)

Dr. Harish Baheti

M.D.D.N.B.(Ped) FIOMCH

Regd.No.57448

Maa Ganga Memorial Baheti Hospital,

Dr. Harish S. Baheti

Managing Director

Maa Ganga Memorial Baheti Hospital,

Washim

Before Me

Raju S. Bajad

Notary, Govt. of India
Washim Distt. Regd. No. 15599

Witness as to signature of Executant (s)
Only Document (s) Not Prepared, Revised
or Advised Upon on legality or any other

Raju S. Bajad

Certified that this Document
Affidavit Contains Pages From
1 to 02 of 02



माँ गंगा मेमोरियल बाहेती हॉस्पिटल

अकोला नाका, वाशिम. फोन : 07252-232371 मो.9822468622, 9145612371

डॉ. हरिष बाहेती

M.D. (Ped.), DNB (Ped.), FICMCH
डिप्लोमेट ऑफ नॅशनल बोर्ड पेडीयाट्रिक्स
बालरोग व नवजात शिशु तज्ञ
Reg.No.57448

डॉ. सचिन बाहेती

M.B.B.S., D.C.H., FICMCH
बालरोग व नवजात शिशु तज्ञ
Reg.No.83837

नांव :

दिनांक :

वय :

वजन :


UNDERTAKING

I **Dr. Harish Sitaram Baheti** S/o Mr. Sitaram Baheti, aged 61 Years resident at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 would like to submit the following undertaking –

1. I am lifetime member of the trust named Vasundhara Technical Institute at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 accrued for member of trust.
2. Maa Ganga College of Nursing is established and managed by Vasundhara Technical Institute, Washim.
3. Maa Ganga Memorial Baheti Hospital is owned by Vasundhara Technical Institute, Washim – 444505 (MH) at the distance 0 km from Maa Ganga College of Nursing, Washim.
4. My Hospital would continue to function as “**Parent Hospital**” of this College named Maa Ganga College of Nursing, Washim managed by the trust for life time.
5. I would not allow the hospital to be treated as a “Parent Hospital” to any other nursing institution / College in future.

Date :- 26/06/2024

Place :- Washim


Principal
Maa Ganga College of Nursing
Washim


Dr. Harish Baheti

M.D.D.N.B. (Ped.) FICMCH
Managing Director
Regd. No. 57448

Maa Ganga Memorial Baheti Hospital,
Akola Naka, Washim



उपलब्ध सुविधा * नवजात शिशु व बालरोग अतिदक्षता विभाग, सेंट्रल वाशिम, कृत्रीम श्वसन यंत्रणा सहीत सर्व अद्यावत सुविधा * सर्व सुविधायुक्त आंतररूग्ण विभाग * अद्यावत पॅथॉलॉजी विभाग * रक्तपेढी * एक्स-रे, सोनोग्राफी, कलर डॉपलर * सुसज्ज दैनिक ऑपरेशन थिएटर * लेबर रूम * २४ तास मेडीकल स्टोअर्स * रूग्ण व नातेवाईकांसाठी कॅटीन व मेस * ट्रिपल पोलीओ, गोवर, एम.एम.आर., व्हीटॅमीन ए, कावीळ, टायफाईड, मेंदुज्वर, कांजण्या, डोजेस, दररोज * बी.सी.जी. डोस दर शनिवारी १० ते २ पर्यंत देण्यात येईल.

*** पूर्णवेळ कार्यरत माता-बाल रुग्णालय ***

Registration/Renewal

Temporary Certificate of Registration under 5 of the Bombay Nursing Homes Registration Act 1949.

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 21/2007

दि बॉम्बे नर्सिंग होमच्या रजिष्ट्रेशन अॅक्ट १९४९ अन्वये डॉ.हरिष सिताराम बाहेती यांचे मॉ.गंगा मेमोरीयल बाहेती हॉस्पिटल अकोला नाका, वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr.Harish Sitaram Baheti has been Temporary Registered Under The Bombay Nursing Homes Registration Act 1949 in respect of 100 Bedded (One Hundred Bedded) Situated at Akola Naka Washim and has been authorized to carry on the said Nursing Homes.

रजिष्ट्रेशन क्र.२१/२००७

Registration No 21/2007

रजिष्ट्रेशन दिनांक १०.०७.२००७

Date of Registration 10.07.2007

प्रसुतीसाठी ४० कॉट्स

Maternity 40 Cots

इतर रुग्णांसाठी ६० कॉट्स

Other Nursing Patients 60 Cots

ठिकाण :- वाशिम


Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 24/05/2022

सदरचे प्रमाणपत्र तात्पुरत्या स्वरूपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.

पावती क्रमांक १०५१२८० दिनांक १९/०५/२०२२




(Dr. Vijay Tukaram Kalbande)
Civil Surgeon
Civil Hospital Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psoc@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 28/07/2023

No:- Format1.0/PSO/UAN No.0000170866/CE/2307001922

To,
MAA GANGA MEMORIAL BAHETI HOSPITAL
385, Akola Naka
Akola Nanded Rd, Washim City,
Washim -444505
Email: drharishbaheti@gmail.com
Contact No.:9423127962



Your Service is Our Duty

Grant of renewal of Combined consent to Operate and BMW authorisation under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/05/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2023** To **04-06-2025**
2. The capital investment of the HCF is **₹148.05** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3298.00 M² with Built-up area 2095.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. GHW212007 valid upto 31-03-2025)
 - I. General Beds : **40 Nos**
 - II. ICU/ICU Beds : **20 Nos**
 - III. Operation Theatre : **2 Nos**
 - IV. Maternity Beds : **38 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001799	14/05/2023	Online Payment
2	1500.00	TXN2305004521	30/05/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPCB board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility


1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



HOSPITAL DETAILS

Name of the Hospital: **Maa Ganga Memorial Baheti Hospital, Washim**

Distance: 00 Kms.

Specialty: **Mother and Child Hospital**

No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/ICU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
100	-	-	-	30	40	10	10	2	-	8	81220	57372	996


Principal
Maa Ganga College of Nursing
Washim

	<p>महाराष्ट्र शासन  आरोग्य सेवा</p> <p>जिल्हा स्त्री रुग्णालय वाशिम</p> <p>कार्यालय:- जिल्हा स्त्री रुग्णालय, चीखली रोड, नालंदा नगर जि. वाशिम</p>	
<p>दुरध्वनीक्रं : (०७२५२) २९९३१९ Email: dwh_washim@rediffmail.com</p>	<p>जा.क्र. /जिखीरुवा /प्रशिक्षण / 1108 /२०२३ दिनांक :- ३०/११/२०२३</p>	

प्रती,

प्राचार्य,

माँ गंगा कॉलेज ऑफ नर्सिंग, वाशिम

विषय:- जिल्हा स्त्री रुग्णालय, वाशिम येथे माँ गंगा कॉलेज ऑफ नर्सिंग, वाशिम चे प्रशिक्षणार्थी प्रात्यक्षिक अनुभव व सरावासाठी परवानगी मिळणे बाबत.

संदर्भ: १) आपले पत्र क्र. MGCON/06/2023, दिनांक - 19/10/2023

उपरोक्त संदर्भीय विषयान्वये माँ गंगा कॉलेज ऑफ नर्सिंग, वाशिम चे प्रात्यक्षिक करीता सत्र २०२३-२४ मध्ये शिक्षण घेत असलेल्या माँ गंगा कॉलेज ऑफ नर्सिंग, वाशिम येथील बी.एस.सी. नर्सिंग चे ६० प्रशिक्षणार्थी शिकण-या विद्यार्थ्यांना जिल्हा स्त्री रुग्णालय, वाशिम येथे परवानगी देण्याबाबत या कार्यालयास विनंती केली आहे.

त्या अनुषंगाने माँ गंगा कॉलेज ऑफ नर्सिंग, वाशिम मधील प्रशिक्षणार्थ्यांना प्रती प्रशिक्षणार्थी प्रती दिवस ५० रु. प्रमाणे ६० प्रशिक्षणार्थी यांना शासकीय नियमानुसार देय शुल्काचा भरणा करण्याचे अटीवर जिल्हा स्त्री रुग्णालय, वाशिम येथे प्रात्यक्षिक अनुभव करीता परवानगी देण्यात येत असुन सोबत आपल्या नर्सिंग कॉलेज पाठ्यनिर्देशिका पाठविण्यात यावे तसेच संबंधित प्रशिक्षणार्थ्यांची यादी अधिसेविका यांचे कडे व शुल्काचा धनादेश या कार्यालयचे रोख विभागास देण्यात यावा.



वैद्यकीय अधीक्षक,
जिल्हा स्त्री रुग्णालय, वाशिम



Principal
Maa Ganga College of Nursing
Washim

HOSPITAL DETAILS

Name of the Hospital: **District Women Hospital, Washim**

Distance: 03 Kms.

Specialty: **OBG and Gynaec Hospital**



No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/ICU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
100	-	-	-	90	-	10	-	-	-	-	91515	55713	1104


Principal
Maa Ganga College of Nursing
Washim



महाराष्ट्र MAHARASHTRA

2023



Memorandum of Understanding


This Understanding between –

1) Principal, Maa Ganga College of Nursing, Washim

and

2) Director, Maa Ganga Rehabilitation and Research Centre, Washim.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ४६६८ दिनांक २६/०६/२०२४
 २. दस्तावा प्रकार :
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही २१२ न/मा
 ४. मिळकतीचे थोडक्यात वर्णन :
 ५. मुद्रांक विकत घेणाऱ्याचे नांव पत्ता व सही :
 ६. दुस-या पक्षकाराचे नांव :
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये
 ८. परवाना धारक मुद्रांक विकेत्याची सही व
 परवाना क्रमांक तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता
 ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करितासाठी
 मुद्रांक खरेदी केल्या पासुन ६ महिन्यात वापरणे बंधनकारक आहे.



एस. के. खंडाळकर
 मुद्रांक विक्रेता, वाशिम
 प. क्र. २०/९८
 कोड नं. ६५०१००३

That, Student of Maa Ganga College of Nursing, Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Maa Ganga Rehabilitation and Research Centre, Akola Naka, Washim - 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In charges of Maa Ganga Rehabilitation and Research Centre, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim. Maa Ganga Rehabilitation and Research Centre, Washim is 100 bedded Hospital.

Date :- 26/06/2024

Place :- Washim

Executant(S)

1) Principal,
 Maa Ganga College of Nursing,
 Washim
 Principal
 Maa Ganga College of Nursing
 Washim


2) Director,
 Maa Ganga Rehabilitation and
 Research Centre, Washim



Before Me


Raju S. Bajad
 Notary, Govt. of India
 Washim Distt. Regd. No. 15599

Witness as to signature of Executant (s)
 Only Document (s) Not Prepared, Revised
 or Advised Upon on legality or any other



**Certified that this Document
 Affidavit Contains Pages From
 1 to 02/549**

Registration/Renewal

Temporary Certificate of Registration under 5 of the
Bombay Nursing Homes Registration Act 1949

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 20/2007

दि बॉम्बे नर्सिंग होमच्या रजिष्ट्रेशन अॅक्ट १९४९ अन्वये डॉ. सरोज बाहेती अध्यक्ष वसुंधरा टेक्नीकल इंस्टीट्यूट वाशिम यांचे मॉ गंगा रिहॅबिलिटेशन अँड रिसर्च सेंटर अकोला नाका वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr.Saroj Baheti President Vasundhara Technical Institute Washim has been Temporary Registered Under The Bombay Nursing Homes Registration Act 1949 in respect of 100 Beded (One Hundred Beded) Situated at Akola Naka Washim And has been authorized to carry on the said Nursing Homes.

रजिष्ट्रेशन क्र. २०/२००७

Registration No 20 /2007

रजिष्ट्रेशन दिनांक १०.०७.२००७

Date of Renewal Registration 06.05.2022

प्रसुतीसाठी २० कॉट्स

Maternity 20 Cots

इतर रुग्णांसाठी ८० कॉट्स

Other Nursing Patients 80 Cots

ठिकाण :- वाशिम

Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 06/05/2022

सदरचे प्रमाणपत्र तात्पुरत्या स्वरूपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.

पावती क्रमांक १०५१२७० दिनांक २०/०४/२०२२



Vijay Tukaram Kalbande
(Dr. Vijay Tukaram Kalbande)
Civil Surgeon
Civil Hospital Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 30/07/2023

No:- Format1.0/PSO/UAN No.0000170866/CE/2307001922

To,
MAA GANGA REHABILITATION AND
RESEARCH CENTRE
386, Akola Naka
Akola Washim Rd, Washim City,
Washim -444505
Email: drsarojbaheti@gmail.com Contact
No.:9423127960



Your Service is Our Duty

Grant of renewal of Combined consent to Operate and BMW authoration under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/05/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2023** To **04-06-2025**
2. The capital investment of the HCF is **₹148.05** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3298.00 M² with Built-up area 2095.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. GHW212007 valid upto 31-03-2025)
 - I. General Beds : **58 Nos**
 - II. ICCU/ICU Beds : **20 Nos**
 - III. Operation Theatre : **2 Nos**
 - IV. Maternity Beds : **20 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Global Eco Save Systems, **Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



84fe98e3
9274af20
9aa0c5e9
de90f972
f6562095
7a364244
0b94d886
476b9321

Signed by: **Dr. Amar R. Supate**
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-07-28 19:59:05 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001799	15/05/2023	Online Payment
2	1500.00	TXN2305004521	29/05/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<i>Sr.No</i>	<i>Activity / Condition to be Complied</i>	<i>Compliance Timeline (Months)</i>	<i>Bank Guarantee Amount</i>
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.




General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



HOSPITAL DETAILS


Name of the Hospital: **Maa Ganga Rehabilitation and Research Centre, Washim**

Distance: 03 Kms.

Specialty: **Mother and Child Hospital**

No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/CCU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
100	-	-	-	20	45	12	12	3	-	8	80340	56212	923




Principal
Maa Ganga College of Nursing
Washim



महाराष्ट्र MAHARASHTRA

2023

CD 503224



Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's Maa Ganga College of Nursing, Washim

and

2) Director, Dr. Vora Hospital, Washim.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ४६६८ दिनांक २६/०६/२०२४
 २. दस्तावा प्रकार :
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही कोर २४/५/११
 ४. मिळकतीचे थोडक्यात वर्णन : मा. ३१/३/११ कोर २४/५/११ वाशिम
 ५. मुद्रांक विकत घेणार्याचे नांव पत्ता व सही :
 ६. दुस-या पक्षकाराचे नांव :
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये
 ८. परवाना धारक मुद्रांक विक्रेत्याची सही व
 परवाना क्रमांक तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता
 ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करितासाठी
 मुद्रांक खरेदी केल्या पासून ६ महिन्यात वापरणे बंधनकारक आहे.



एस. के. खडाळकर
 मुद्रांक विक्रेता, वाशिम
 प. क्र. २०/९८
 कोड नं. ६५०१००३

That, Students of Maa Ganga College of Nursing, Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Dr Vora Hospital, Opp. Old Zilla Parishad, Washim. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In charges of Dr. Vora Hospital, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim. Dr. Vora Hospital, Washim is 50 bedded Hospital.

Date :- 26/06/2024
 Place :- Washim

Executant(S)
Saleh

President

- 1) President, **Vasundhara Technical Institute**
 Vasundhara Technical Institute's
 Maa Ganga College of Nursing,
 Washim



- 1) Director, *Dr. Vora*
 Dr. Vora Hospital, Washim

Before Me

Raju S. Bajad

Raju S. Bajad
 Notary, Govt. of India
 Washim Distt. Regd. No. 15599

Dr Sanjay Vora
 MBBS FCPS Surgery FMAS
 MMC Reg.No.89476
 Director & Surgeon
 Dr Vora Hospital, Washim

Witness as to signature of Executant (s)
 Only Document (s) Not Prepared, Revised
 or Advised Upon on legality or any other

Raju S. Bajad

Certified that this Document
Affidavit Contains Pages From
 1 to 02

Registration/Renewal

Temporary Certificate of Registration under 5 of the Bombay Nursing Homes Registration Act 1949

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 16/2007

दि ब्रॉम्बे नर्सिंग होमच्या रजिष्ट्रेशन अॅक्ट १९४९ अन्वये डॉ.संजय वसंत वोरा यांचे डॉ.वोरा हॉस्पिटल, जुनी जि.प.समोर वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr.Sanjay Vasant Vora has been Temporary Registered Under The Bombay Nursing Homes Registration Act 1949 in respect of 50 Beded (Thirty Beded) Situated Infront of Old Z.P. Washim And has been authorized to carry on the said Nursing Homes.

रजिष्ट्रेशन क्र.१६/२००७

Registration No 16 /2007

रजिष्ट्रेशन दिनांक ०९/०८/२००७

Date of Renewal Registration 06.05.2022

प्रसुतीसाठी ०० कॉट्स

Maternity 00 Cots

इतर रुग्णांसाठी ५० कॉट्स

Other Nursing Patients 50 Cots

ठिकाण :- वाशिम


Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 06/05/2022

सदरचे प्रमाणपत्र तात्पुरत्या स्वरूपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.

पावती क्रमांक १०५.१२७२ दिनांक २१/०४/२०२२




(Dr. Vijay Tukaram Kalbande)
Civil Surgeon
Civil Hospital Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0721-2563593/94
Fax : 0721-2563597
Email : sroamravati1@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Sahakar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati-444606

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorisation for of Bio-Medical Wastes under See Rule 10]

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical waste)

I. File number of authorisation and date of issue

AMRAVATI I/BMW_AUTH/ 2209000162

Dtd:- 15.09.2022

II. M/s. Dr. Vora Hospital is hereby granted an authorisation for generation of biomedical waste on the premises situated In Front of Z.P. Akola Naka, Washim, Ta.& Dist. Washim .

III. This authorization shall be in force for a period up to 30/07/2025. an application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 50 beds.

Terms and Conditions of authorisation

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Sr. No.	Category	Type of Waste	Quantity Generated or Collected, Kg/Day	Method of Treatment and Disposal (Refer Schedule-I)
---------	----------	---------------	---	---

	Yellow	a) Human Anatomical Waste	10.5Kg/Month	Bio-medical Waste shall be sent to CBMWTSDf authorised by MPCB
		b) Animal Anatomical Waste	--	
		c) Soiled Waste	30.0 Kg/Month	
		d) Expired or Discarded Medicines	13.5 Kg/Month	
		e) Chemical Solid Waste	0.0 Kg/Month	
		f) Chemical Liquid Waste	30.0 KI/Month	
		g) Discarded Linen, Mattresses, beddings contaminated with blood or body fluid.	19.5 Kg/Month	
		h) Microbiology, Biotechnology and other clinical laboratory waste	0 Kg/Month	
2	Red	Contaminated Waste (Recyclable)	--	Bio-medical Waste shall be sent to CBMWTSDf authorised by MPCB
3	White (Translucent)	Waste Sharps including Metals	9.6 Kg/Month	Bio-medical Waste shall be sent to CBMWTSDf authorised by MPCB
4	Blue	Glassware Metallic Body Implants	--	Bio-medical Waste shall be sent to CBMWTSDf authorised by MPCB

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule II of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule II of said Rules.

(ii) You shall setup requisite BMW, treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules 2016. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & TM) Rules, 2016 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-I prior to storage, treatment and disposal. The containers shall be labeled according to Schedule IV- Part-A.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule IX, also carry

information prescribed in Schedule IV Part B and shall be transported by authorized Transporter only.

- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) Untreated human anatomical waste, animal anatomical waste, soiled waste and, biotechnology waste shall not be stored beyond a period of forty- eight hours:

Provided that in case for any reason it becomes necessary to store such waste beyond such a period, the occupier shall take appropriate measures to ensure that the waste does not adversely affect human health and the environment and inform the prescribed authority along with the reasons for doing so.

- (vi) Microbiology waste and all other clinical laboratory waste shall be pre-treated by sterilisation to Log 6 or disinfection to Log 4, as per the World Health Organisation guidelines before packing and sending to the common bio-medical waste treatment facility

10 Standards for waste autoclaving:

The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

- (i) When operating a gravity flow autoclave, medical waste shall be Subjected to
 - (i) a temperature of not less than 121 °C and pressure of 15 pounds per Square inch (psi) for an autoclave residence time of not less than 60 minutes, or
 - (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 45 minutes, or
 - (iii) a temperature of not less than 149 °C and a pressure of 52 psi for an autoclave residence time of not less than 30 minutes.
- (ii) When operating a vacuum autoclave, medical waste shall be subjected to a minimum of one pre-vacuum pulse to purge the autoclave of all air. The waste shall be subjected to the following
 - (i) a temperature of not less than 121 °C and a pressure of 15 psi for an autoclave residence time of not less than 45 minutes; or
 - (ii) a temperature of not less than 135 °C and a pressure of 31 psi for an autoclave residence time of not less than 30 minutes; or
- (iii) Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved
- (iv) *Recording of operational parameters*:- Each autoclave shall have graphic or computer recording devices which will automatically and continuously monitor and record dates, time of day, load identification number and operating parameters throughout the entire length of the autoclave cycle.
- (v) *Validation test: Spore testing* - The autoclave should completely and consistently kill the approved biological indicator at the maximum design capacity

of each autoclave unit. Biological indicator for autoclave shall be Bacillus stearothermophilus spores using vials or spore strips, with at least 1×10^4 spores per milliliter. Under no circumstances will an autoclave have minimum operating parameters less than a residence time of 30 minutes, regardless of temperature and pressure, a temperature less than 121°C or a pressure, less than 15 psi.

(VI) Routine Test.—A chemical indicator strip/tape that changes color when a certain temperature is reached can be used to verify that a specific temperature has been achieved. It may be necessary to use more than one strip over the waste package at different location to ensure that the inner content of the package has been adequately autoclaved.

11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-IV by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW for period of 5 years in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.
13. Accident reporting – 1) In case of any major accident at any institution or facility or any other site while handling bio-medical waste, the authorized person shall intimate immediately to the prescribed authority about such accident and forward a report within twenty-four hours in writing regarding the remedial steps taken in Form I.
2) Information regarding all other accidents and remedial steps taken shall be provided in the annual report in accordance with rule 13 by the occupier.
14. Ensure treatment and disposal of liquid waste in accordance with Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and comply Bio-Medical Waste Management Rules 2016.
15. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. Rajendra A Rajput)
Regional Officer, Amravati

To
M/s. Dr. Vora Hospital
In Front of Z.P. Akola Naka, Washim, Ta. & Dist. Washim.

Authorization Fees Received:-

Sr. No.	Amount	D.D. No.	Date
	7500.00	TXN2205000156	02-05-2022

Copy Submitted to:-

1. The Chief Accounts Officer, MPCB Board Mumbai
2. The Principal Scientific Officer, MPCB, Sion, Mumbai

Copy to:- Sub-Regional Officer, M.P.C. Board, Amravati-II

HOSPITAL DETAILS

Name of the Hospital: **Dr. Vora Hospital, Washim**

Distance: 01 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
50	20	20	-	5	5	-	1	1	1	1	1	32	14406	35412


Principal
Maa Ganga College of Nursing
Washim



महाराष्ट्र MAHARASHTRA

© 2023 ©

CD 368030



Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's Maa Ganga College of Nursing, Washim

and

2) Director, Deole Hospital Heart Critical Care, Washim.

1. मुद्राक निकाली दिवसकी अ.क. व दिनांक
2. दस्तावेज प्रकार
3. दस्त नोटणी करणार आहत काय
4. मिळकतीचे धाडण्यात आण
5. मुद्राक निकाल दिवसात नमूद काय
6. हरत अशात्यात नमूद काय
7. दस्तावेज प्रकार
8. मुद्राक निकाल दिवसात नमूद काय
9. परवाना कमीत तसेच मुद्राक निकाल दिवसात नमूद काय



एच. ए. पाइकराव
मुद्रांक विक्रेता, वाशिम
पं. क्र. २१/२००१
पं. क्र. ६५०१००२



That, Students of Maa Ganga College of Nursing, Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Deole Hospital Heart Critical Care, Near Z.P. Path Sanstha, Akola – Hingoli Highway, Washim- 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In charges of Deole Hospital Heart Critical Care, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Date :- 06/08/2024

Place :- Washim

Executant(S)

Sell

President

1) President, Vasundhara Technical Institute's
Maa Ganga College of Nursing,
Washim

2) Director,
Deole Hospital Heart Critical Care,
Washim

Dr. Siddharth A. Deole
M.D.(Medicine) Physician & Intensivist
Reg.No.091518
DEOLE HOSPITAL, WASHIM

Before Me

Raju S. Bajad
Notary, Govt. of India
Washim Dist. Regd. No. 15599

Certified that this Document
Affidavit Contains Pages From
1 to 02 (Two)

Registration/Renewal

Temporary Certificate of Registration under 5 of the Bombay Nursing Homes Registration Act 1949

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 66/2010

दि बॉम्बे नर्सिंग होमच्या रजिष्ट्रेशन अॅक्ट १९४९ अन्वये डॉ.सिद्धार्थ अकाराम देवळे यांचे देवळे हॉस्पिटल,हार्ट क्रिटीकल केअर,अकोला हिंगोली हायवे वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिष्ट्रर केले असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr.Siddharth Akaram Deole has been Temporary Registered Under The Bombay Nursing Homes Registration Act 1949 in respect of 40 Beded (Fourty Beded) Situated at Akola Hingoli Highway Washim And has been authorized to carry on the said Nursing Homes.

रजिष्ट्रेशन क्र.६६/२०१०

Registration No 66/2010

रजिष्ट्रेशन दिनांक २६/०२/२०१०

Date of Renewal Registration 13.07.2022

प्रसुतीसाठी ०० कॉट्स

Maternity 00 Cots

इतर रुग्णांसाठी ५० कॉट्स

Other Nursing Patients 50 Cots

ठिकाण :- वाशिम


Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 13/07/2022

सदरचे प्रमाणपत्र तात्पुरत्या स्वरूपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.

पावती क्रमांक १०५१२९५ दिनांक २७.०६.२०२२




(Dr. Vijay Tukaram Kalbande)
Civil Surgeon
Civil Hospital Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,
0721-2563592
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: roamravati@mpcb.gov.in



Maharashtra Pollution
Control Board Sahkar
Surbhi Bapatwadi, Near
Vivekanand Colony,
Amravati-444606

ORANGE/S.S.I

Date: 14/12/2023

No:- Format1.0/RO/UAN No.0000188134/CO/2312001526

To,
M/s. Deole Hospital Washim
Deole Hospital Near Z.P.Pat Sanstha Akola - Hingoli
Highway Washim
Tq. & Dist. Washim
Email: siddharthdeole@gmail.com
Contact No.: 9011919696



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000188134& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined consent & authorization is granted for a period upto: 31/10/2028.

2. The capital investment of the HCF is ₹57.86 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 767.73 M² with Built-up area 765.19 M².

4. Activities Included

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. GHW REG 66 2010 valid upto 31-03-2025)

I. General Beds : **36 Nos**

II. ICU/ICU Beds : **14 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 8 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



[Handwritten signature]
CS. D. Patil

Generated by PrintLock
31107127
d992deb8
7cba6608
88e52697
cf2d8ba6
df067c38
2d500f55
08d0560d

Signed by: Mr. S. D. Patil
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
roamravati@mpcb.gov.in
2023-12-14 18:01:05 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	MPCB-DR-18693	24/04/2023	NEFT
2	50000.00	TXN2309002938	18/09/2023	Online Payment
3	104589.00	TXN2308003373	18/09/2023	Online Payment
4	4000.00	TXN2311002758	21/11/2023	Online Payment

The balance combined consent & authorization fees of Rs. 36500/- will be adjusted during subsequent consent to operate (Renewal)

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	6.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	4.5	As per clause 'C'	100% Recycle
2	Trade effluent	2	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.****F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.****G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.**

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	1.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	20.00		
		f) Chemical Liquid Waste	3.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	1.50	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

HOSPITAL DETAILS

Name of the Hospital: **Deole Hospital Heart Critical Care, Washim**

Distance: 02 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
50	15	15	-	6	14	-	1	1	1	1	1	33	14503	36313



Principal
Maa Ganga College of Nursing
Washim



महाराष्ट्र MAHARASHTRA

© 2023 ©

CD 503232



Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's Maa Ganga Nursing School,
Washim

and

2) Director, Care Hospital, Washim.

१. मुद्रांक विक्री नोंदवही अक व दिनांक : २६/२ दिनांक २६/०६/२०२४
 २. दस्तावा प्रकार :
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही का २१२-१५११
 ४. मिळकतीचे थोडक्यात वर्णन :
 ५. मुद्रांक विकत घेणारचे नांव पत्ता व सही :
 ६. दुस-या पक्षाकराचे नांव :
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये :
 ८. परवाना धारक मुद्रांक विक्रीचे ठिकाणाचा पत्ता :
 ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केल्या त्यात त्याच कारणा करितासाठी
 मुद्रांक खरेदी केल्या पासून ६ महीन्यांत वापरणे बंधनकारक आहे



एस. के. खडाळकर
 मुद्रांक विक्रेता, वाशिम
 प. क्र. २०/९८
 कोड नं. ६५०१००३

That, Students of Maa Ganga Nursing School (ANM & GNM), Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Care Hospital, City Center Plaza, Near Hotel Maniprabha, Washim- 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In charges of Care Hospital, Washim & Nursing Faculties from Maa Ganga Nursing School, Washim.

Mahesh Care Hospital, Washim is 50 bedded Hospital.

Executant(s)

Sell

President

- 1) President, **Vasundhara Technical Institute Washim**
 Vasundhara Technical Institute's
 Maa Nursing School, Washim



- 2) Director,

Mahesh Care Hospital, Washim
MAMESH CARE HOSPITAL
 WASHIM-444505

Before Me

Raju S. Bajaj

Raju S. Bajaj
 Notary, Govt. of India
 Washim Distt. Regd. No. 15599

Witness as to signature of Executant (s)
 Only Document (s) Not Prepared, Reviewed
 or Advised Upon on legality or any other

Raju S. Bajaj

Certified that this Document
 Affidavit Contains Pages From
 1 to 02 (two)

Registration/Renewal

Temporary Certificate of Registration under 5 of the Bombay Nursing Homes Registration Act 1949

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 180/2018

दि बॉम्बे नर्सिंग होमच्या रजिष्ट्रेशन ॲक्ट १९४९ अन्वये डॉ.अमित चंद्रकांत राठी यांचे महेश केअर हॉस्पिटल सिटी सेंटर प्लाझा हॉटेल मनिप्रभाजवळ वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिष्टर केले असून सदरचे नर्सिंग होम मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that Dr.Amit Chandrakant Rathi has been Temporary Registered Under The Bombay Nursing Homes Registration Act 1949 in respect of 20 Beded (Twenty Beded) Situated at City Center Plaza Near Hotel Maniprabha Washim And has been authorized to carry on the said Nursing Homes.

रजिष्ट्रेशन क्र.१८०/२०१८

Registration No 180/2018

रजिष्ट्रेशन दिनांक ११/१०/२०१८

Date of Renewal Registration 26.07.2022

इप्रसुतीसाठी ०० कॉट्स

Maternity 00 Cots

इतर रुग्णांसाठी ५० कॉट्स

Other Nursing Patients 50 Cots

ठिकाण :- वाशिम

Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 26/07/2022
सदरचे प्रमाणपत्र तात्पुरत्या स्वरुपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.
पावती क्रमांक 105123 दिनांक ०१/०७/२०२२



(Dr. Vijay Tukaram Kalbande)
(Dr. Vijay Tukaram Kalbande)
Civil Surgeon
Civil Hospital Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 31/07/2023

No:- Format1.0/PSO/UAN No.0000170868/CE/2307001924

To,
MAHESH CARE HOSPITAL,
City Centre Plaza, Near Maniprabha
Hotel, Washim City, Washim -444505
Email: drmrathi@gmail.com
Contact No.:7588501686



Your Service is Our Duty

Grant of renewal of Combined consent to Operate and BMW authoration under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/05/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2023** To **04-06-2025**
2. The capital investment of the HCF is **₹57.86** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 767.73 M² with Built-up area 765.19 M².
4. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. GHW1802018 valid upto 31-03-2025)
 - I. General Beds : **36 Nos**
 - II. ICU/ICU Beds : **14 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 20 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Global Eco Save Systems, **Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Generated by Print2Tech
84fe98e3
9274af20
9aa0c5e9
de90f972
f6562095
7a364244
0b94d886
476b9321

Signed by: **Dr. Amar R. Supate**
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2023-07-28 19:59:05 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001801	16/05/2023	Online Payment
2	1500.00	TXN2305004545	30/05/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<i>Sr.No</i>	<i>Activity / Condition to be Complied</i>	<i>Compliance Timeline (Months)</i>	<i>Bank Guarantee Amount</i>
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



HOSPITAL DETAILS

Name of the Hospital: **Mahesh Care Hospital, Washim**

Distance: 01 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
50	15	15	-	6	14	-	1	1	1	1	1	34	14418	36710




 Principal
 Maa Ganga College of Nursing
 Washim



महाराष्ट्र MAHARASHTRA

2023

CD 503223



Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's, Maa Ganga College of Nursing, Washim

and

2) Director, Ingle Mansik Arogya Kendra, Washim.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ४०६८ दिनांक २६ १०६ १२०२४
 २. दस्तावा प्रकार :
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही २०१२/११४११
 ४. मिळकतीचे थोडक्यात वर्णन :
 ५. मुद्रांक विक्री घेणारचे नांव पत्ता व सही :
 ६. दुस-या पक्षकाराचे नांव :
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये
 ८. परवाना धारक मुद्रांक विक्रीच्या सही व
 परवाना क्रमांक तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता
 ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करितासाठी
 मुद्रांक खरेदी केल्या पासून ६ महिन्यात वापरणे बंधनकारक आहे.



एस. के. खडाळकर
 मुद्रांक विक्रेता, वाशिम
 प. क्र. २०/९८
 कोड नं. ६५०१००३

That, Student of Maa Ganga College of Nursing, Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Ingle Mansik Arogya Kendra, Opp. Dr. Kanade Hospital, Washim. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In charges of Ingle Mansik Arogya Kendra, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Date :- 26/06/2024

Place :- Washim



Before Me

Raju S. Bajad

Raju S. Bajad
 Notary, Govt. of India
 Washim Dist. Regd. No. 15599

Witness as to signature of Executant (s)
 Only Document (s) Not Prepared, Reviewed
 or Advised Upon on Legality or any other

Raju S. Bajad

Executant(S)

Seal

President

**Vasundhara Technical Institute
 Washim**

1) President,
 Vasundhara Technical Institute's
 Maa Ganga College of Nursing,
 Washim

2) Director,
 Ingle Mansik Arogya Kendra,
 Washim

Naresh Kumar G. Ingle

Dr. NARESHKUMAR G. INGLE
 Consultant Psychiatrist
 INGLE MANSIK AROGYA KENDRA
 WASHIM-444505
 Reg. No. 2001/10/3321

**Certified that this Document
 Affidavit Contains Pages From**
 02 (Two)

Temporary Certificate of Registration under 5 of the
Bombay nursing Homes Registration Act 1949

नियम ५ अन्वये (Under Rule 5)

क्रमांक No.GHW/Reg/ 124/2016

दि बॉम्बे नर्सिंग होमच्या रजिस्ट्रेशन ॲक्ट १९४९ अन्वये डॉ.नरेशकुमार गोविंदराव इंगळे यांचे इंगळे मानसिक आरोग्य केंद्र डॉ.कानडे हॉस्पिटलच्या समोर वाशिम येथील नर्सिंग होम/मॅटर्निटी होम रजिस्टर केले असून सदरचे नर्सिंग होम / मॅटर्निटी होम चालविण्यास तात्पुरता परवाना देण्यात येत आहे.

This is to certify that **Dr.Nareshkumar Govindrao Ingle** has been Temporary registered under the Bombay Nursing Homes Registration Act 1949 in respect of 50 Bedded (Fifty Bedded) Situated at Infront of Dr.Kande Hospital Washim And has been authorized to carry on the said Nursing Homes.

रजिस्ट्रेशन क्र. १२४/२०१६

Registration No 124 /2016

रजिस्ट्रेशन दिनांक २३.१०.२०१६

Date of Renewal Registration 24.06.2022

प्रसूतीसाठी ०० कोट्स

Maternity 00 Cots

इतर रुग्णांसाठी ५० कोट्स


Other Nursing Patients 50 Cots

ठिकाण :- वाशिम

Place Washim

प्रमाणपत्र दिल्याचा दिनांक Date of issue of Renewal Certificate 24/06/2022
सदरचे प्रमाणपत्र तात्पुरत्या स्वरूपाचे असून दिनांक ३१/०३/२०२५ पर्यंत वैध (VALID) राहील.
पावती क्रमांक १०५१२८४ दिनांक १६.०६.२०२०




(Dr.Vijay Tukaram Kálbande)
Civil Surgeon
Ck. Hospital washim


Principal
Maa Ganga College of Nure
Washim

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : (0721) 2563592

Fax : (0721) 2563597

Email : roamravati@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



"Sahakar Surabhi" Bapatwadi Near Vivekanand Colony

Amravati - 444606

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Segregation, Storage of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization and date of issue

SRO-AMRAVATI-II/BMW_AUTH/ 2112000299

Date: 12/12/2021.

II. **M/s. Ingle Mansik Arogya Kendra** is hereby granted an authorization for generation of biomedical waste on the premises situated at **Akola - Washim Highway, Dist. Washim.**


III. This authorization shall be in force for a period up to **30/10/2024**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 50 (Fifty Beds).

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 2016 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.



5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1.	Cat-1 Human Anatomical Waste.	Nil	Kg/M	Bio Medical Waste Shall be sent to Common BMW Treatment & Disposal Facility authorized by MPCB.
2.	Cat-2 Animal Waste.	Nil	Kg/M	
3.	Cat-3 Microbiology & Biotechnology Waste.	Nil	Kg/M	
4.	Cat-4 Waste Sharps.	0.7	Kg/M	
5.	Cat-5 Discarded Medicines & Cytotoxic Waste.	1.6	Kg/M	
6.	Cat-6 Solid Waste.	4.5	Kg/M	
7.	Cat-7 Solid Waste	4.7	Kg/M	
8.	Cat-8 Liquid Waste	Nil	Lit/M	The Liquid Waste shall be disinfection by chemical treatment & discharge into the drainage system provided by local body.
9.	Cat-9 Incineration Ash.	Nil	Kg/M	CHWTSDF Landfill site.
10.	Cat-10 Chemical waste.	Nil	Ltr/M	The Chemical Waste shall be disinfection by chemical treatment using at least 1% hypochlorite solution or any other equivalent chemicals reagent & discharge into drains for liquids & secured land fill for solids.

The Liquid / Solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.



8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) Occupier shall adopt Sharp Blaster (Needle Blaster) for category no. 4 for Bio-Medical Waste treatment.
10. Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
11. Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Board reserves the rights to add/amend/revoke any condition in this application and the same shall be binding on the applicant.
15. The Board can refuse/cancel your authorization in case of violation of provisions of BMW Rules -Bio medical waste management.
16. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board

(S. D. Patil)
Sub-Regional Officer,
M. P. C. Board, Amravati-II

To,
M/s. Ingle Mansik Arogya Kendra
Akola -Washim Highway, Dist. Washim.

Authorization Fees Received:-

Sr. No.	Amount	Transaction No.	Date
1	3750/-	TXN2109001606	21/09/2021

Copy Submitted to:-

1. Chief Accounts Officer, MPCB Board, Mumbai.
2. Regional Officer (HQ), MPCB, Sion Mumbai.
3. Regional Officer, MPCB, Amaravati.

HOSPITAL DETAILS

Name of the Hospital: **Ingle Mansik Arogya Kendra**

Specialty: Mental Health

Distance: 01 Kms.

No. of Beds	Male	Female	Deaddiction	M.R.	Private	No. of OPD per year	No. of IPD per year	No. of ECT / Year
50	15	15	10	5	5	43912	12915	285


Principal
Maa Ganga College of Nursing
Washim