

# **ANNEXURE- V**

**Maharashtra University of Health Sciences, Nashik**  
**Inspection Committee Report for Academic Year 2026-2027**

**Clinical Material in Hospital**

Name of College/Institute: - Maa Ganga College of Nursing, Washim  
Faculty :- Nursing

**HOSPITAL DETAILS**

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) <b>To be made available on web site</b>		<b>Adequate</b>
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: <b>Copy to be made available on web site</b>		<b>Adequate</b>
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual <b>1:3</b>		<b>Adequate</b>
c.	Average Bed Occupancy in % : (Minimum 75%) <b>78%</b>		<b>Adequate</b>
d.	Clinical facilities for PG to be verified: - (As per MSR)		<b>N.A.</b>
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) - <b>211</b> (iii) Average Number of patients attending OPD (current year) - <b>78945</b> (iv) Average Number of Delivery (Current year) - <b>1071</b> (v) Average Number of abnormal Delivery (Current year) - <b>669</b>		<b>Adequate</b>
	<ul style="list-style-type: none"> <li>• As per Central Council Norms/ University Norms, above Infrastructure must be available at College.</li> <li>• If Infrastructure is available, then mark "Adequate" &amp; do not attach any Documents it should be available on college website</li> <li>• In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report</li> </ul>		

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief  
Any Other, Please Specify:-

Date:- 09/02/2026



Dean/ Principal Stamp & Signature  
Principal  
Maa Ganga College of Nursing  
Washim

**Vasundhara Technical Institute's**  
**Maa Ganga College of Nursing, Washim**

**CLINICAL FACILITY**

<b>NAME OF THE PARENT HOSPITAL ALONG WITH ADDRESS</b>	<b>NUMBER OF BEDS</b>
MAA GANGA MEMORIAL BAHETI HOSPITAL, AKOLA NAKA, WASHIM – 444505	100
<b>NAME OF THE AFFILIATED HOSPITAL ALONG WITH ADDRESS</b>	<b>NUMBER OF BEDS</b>
MAA GANGA REHABILITATION AND RESEARCH CENTRE, WASHIM	100
MAHESH CARE HOSPITAL, WASHIM	100
DR. VORA HOSPITAL, WASHIM	50
DR. DEOLE HOSPITAL, WASHIM	50
INGLE MANSIK AROGYA KENDRA, WASHIM	50
<b>TOTAL</b>	<b>450</b>


  
**Principal**  
**Maa Ganga College of Nursing**  
**Washim**



महाराष्ट्र MAHARASHTRA

© 2023 ©

CD 503226



### UNDERTAKING

I **Dr. Harish Sitaram Baheti** S/o Mr. Sitaram Baheti, aged 61 Years resident at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 would like to submit the following undertaking –

1. I am lifetime member of the trust named Vasundhara Technical Institute at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 accrued for member of trust.
2. Maa Ganga College of Nursing is established and managed by Vasundhara Technical Institute, Washim.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : २०६८ दिनांक २ एप्रिल २०२४

२. दस्तावा प्रकार : .....

३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही

४. मिळकतीचे थोडक्यात वर्णन : .....

५. मुद्रांक विकत घेणाराचे नांव पत्ता व सही : .....

६. दुसऱ्या पक्षाकाराचे नांव : .....

७. मुद्रांक शुल्क रुपये ५००/- रुपये

८. परवाना धारक मुद्रांक विक्रेत्याची सही व

परवाना क्रमांक तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता

ज्या कारणाने करीता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणाने करीतासाठी

मुद्रांक खरेदी केल्या पासून ६ महिन्यात वापरणे बंधनकारक आहे




ए.के. खंडाळकर  
मुद्रांक विक्रेता, वाशिम  
प. क्र. २०/१८  
कोड नं. ६५०१००३

3. Maa Ganga Memorial Baheti Hospital is owned by Vasundhara Technical Institute, Washim – 444505 (MH) at the distance 0 km from Maa Ganga College of Nursing, Washim.
4. My Hospital would continue to function as “Parent Hospital” of this College named Maa Ganga College of Nursing, Washim managed by the trust for life time.
5. I would not allow the hospital to be treated as a “Parent Hospital” to any other nursing institution / College in future.

Date :- 26/06/2024

Place :- Washim

**Executant(S)**

  
Principal

Maa Ganga College of Nursing  
Washim  
Principal  
Maa Ganga College of Nursing  
Washim

**Executant(S)**

  
Dr. Harish Baheti  
M.D.D.N.B. (Ped) FICMCH  
Regd.No.57448  
Maa Ganga Memorial Baheti Hospital,  
Aokla Naka, Washim  
Dr. Harish S. Baheti  
Managing Director

Maa Ganga Memorial Baheti Hospital,  
Washim

**Before Me**

  
Raju S. Bajad  
Notary, Govt. of India  
Washim, Distt Road. No.15599

Witness as to signature of Executant (s)  
Only Document (s) Not Prepared, Revised  
or Advised Upon on legality or any other





# माँ गंगा मेमोरियल बाहेती हॉस्पिटल

अकोला नाका, वाशिम. फोन : 07252-232371 मो.9822468622, 9145612371

**डॉ. हरिष बाहेती**

M.D. (Ped.), DNB (Ped.), FICMCH  
डिप्लोमेट ऑफ नॅशनल बोर्ड पेडीयाट्रिक्स  
बालरोग व नवजात शिशु तज्ञ  
Reg.No.57448

**डॉ. सचिन बाहेती**

M.B.B.S., D.C.H., FICMCH  
बालरोग व नवजात शिशु तज्ञ  
Reg.No.83837

नांव :

दिनांक :

वय :

वजन :

## UNDERTAKING

I **Dr. Harish Sitaram Baheti** S/o Mr. Sitaram Baheti, aged 61 Years resident at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 would like to submit the following undertaking –

1. I am lifetime member of the trust named Vasundhara Technical Institute at Maa Ganga Memorial Baheti Hospital, Akola Naka, Washim - 444505 accrued for member of trust.
2. Maa Ganga College of Nursing is established and managed by Vasundhara Technical Institute, Washim.
3. Maa Ganga Memorial Baheti Hospital is owned by Vasundhara Technical Institute, Washim – 444505 (MH) at the distance 0 km from Maa Ganga College of Nursing, Washim.
4. My Hospital would continue to function as “**Parent Hospital**” of this College named Maa Ganga College of Nursing, Washim managed by the trust for life time.
5. I would not allow the hospital to be treated as a “Parent Hospital” to any other nursing institution / College in future.

Date :- 26/06/2024

Place :- Washim

  
Principal  
Maa Ganga College of Nursing

  
**Dr. Harish Baheti**

M.D. DNB (Ped.) FICMCH  
Managing Director  
Regd. No. 57448

Maa Ganga Memorial Baheti Hospital,  
Akola Naka, Washim



**उपलब्ध सुविधा** \* नवजात शिशु व बालरोग अतिदक्षता विभाग, सेंट्रल डायग्नोसिस, कृत्रीम श्वसन यंत्रणा सहीत सर्व अद्यावत सुविधा \* सर्व सुविधायुक्त आंतररूग्ण विभाग \* अद्यावत पॅथॉलॉजी विभाग \* रक्तपेढी \* एक्स-रे, सोनोग्राफी, कलर डॉपलर \* सुसज्ज दान ऑपरेशन थिएटर \* लेबर रूम \* २४ तास मेडीकल स्टोअर्स \* रूग्ण व नातेवाईकांसाठी कॅटीन व मेस \* ट्रिपल पोलीओ, गोवर, एम.एम.आर., व्हीटॅमीन ए, कावीळ, टायफाईड, मेंदुज्वर, कांजण्या, डोजेस, दररोज \* बी.सी.जी. डोस दर शनिवारी १० ते २ पर्यंत देण्यात येईल.

**\* पूर्णवेळ कार्यरत माता-बाल रुग्णालय \***



Government of  
Maharashtra



DEPARTMENT OF PUBLIC HEALTH

# Certification Of Registration

*Under the Bombay Nursing Homes Registration Act,1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021  
(Under Rule 5)*

*This is to certify that*

*Shri. /Smt./Dr. **HARISH SITARAM BAHETI** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **MAA GANGA MEMORIAL BAHETI HOSPITAL** situated at **SURVEY NO. 385 AKOLA NAKA WASHIM 444505** and has been authorized to carry on the said Nursing Home.*

**No. of Beds**

A. Maternity Count	: 30
B. ICU(Adult) Count	: 10
C. ICU(Pediatric) Count	: 10
D. Other Count	: 50

---

Total : : 100

Registration Number	: MH/WAS/NH0115
Date of Registration	: 22-03-2025
Date of Issues Certificate	: 09-06-2025
Certificate is Valid upto	: 31-03-2028
Place	: WASHIM

Washim,

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 14/07/2025

No:- Format1.0/PSO/UAN No.0000170866/CE/2307001922

To,  
MAA GANGA MEMORIAL BAHETI HOSPITAL  
385, Akola Naka  
Akola Nanded Rd, Washim City,  
Washim -444505  
Email: [drharishbaheti@gmail.com](mailto:drharishbaheti@gmail.com)  
Contact No.:9423127962



*Grant of renewal of Combined consent to Operate and BMW authorization under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **05-06-2025** To **04-06-2028**
2. The capital investment of the HCF is **₹148.05** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3298.00 M<sup>2</sup> with Built-up area 2095.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. MH/WAS/NH0115 valid upto 31-03-2028)
    - I. General Beds : **50 Nos**
    - II. ICCU/ICU Beds : **20 Nos**
    - III. Operation Theatre :
    - IV. Maternity Beds : **30 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 20 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



84fe98e3  
9274af20  
9aa0c5e9  
de90f972  
f6562095  
7a364244  
0b94d886  
476b9321

Signed by: **Dr. Amar R. Supate**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in



**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001701	14/05/2025	Online Payment
2	1500.00	TXN2305004525	30/05/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



## HOSPITAL DETAILS

Name of the Hospital: Maa Ganga Memorial Baheti Hospital, Washim

Distance: 00 Kms.

Specialty: Mother and Child Hospital

No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/ICU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
100	-	-	-	30	40	10	10	2	-	8	81220	57372	996

  
Principal  
Maa Ganga College of Nursing  
Washim


Dt. 29.08.2025



महाराष्ट्र MAHARASHTRA

2025

DN 293082



### Memorandum of Understanding

This Understanding between –

1) Principal, Maa Ganga College of Nursing, Washim

and

2) Director, Maa Ganga Rehabilitation and Research Centre, Washim.

Director  
Maa Ganga Rehabilitation and Research Centre, Washim

*Rajendra P. Aru*  
**Attested**  
**Rajendra P. Aru**  
Notary, Govt. of India  
Washim Distt. Regd. No. 11122

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ७६० दिनांक २८/०८/२०२५  
 २. दस्तावा प्रकार : -  
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही  
 ४. मिळकतीचे थोडक्यात वर्णन : -  
 ५. मुद्रांक विकत घेणाऱ्याचे नांव पत्ता व सही : -  
 ६. दुस-या पक्षकाराचे नांव : -  
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये : -  
 ८. परवाना धारक मुद्रांक विक्रेत्याची सही व परवाना क्रमांक : -  
 तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करिता सही मुद्रांक खरेदी केल्या पासून ६ महीन्यात वापरणे बंधनकारक आहे



लॉक विनायक रामचंद्र  
 वाजोरे राजेश  
 सुरुते



एस. के. खंडाळकर  
 मुद्रांक विक्रेता, वाशिम  
 प. क्र. २०/९८  
 कोड नं. ६५०१००३

That, Students of Maa Ganga College of Nursing, Akola Naka, Washim – 444505 are allowed to do Practical Nursing Training in Maa Ganga Rehabilitation and Research Centre, Akola Naka, Washim - 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In-charges of Maa Ganga Rehabilitation and Research Centre, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.  
 Maa Ganga Rehabilitation and Research Centre, Washim is 100 bedded Hospital.  
 This agreement is effective from 01/09/2025 to 31/08/2030 (05 Years).

**Executant(s)**

Date: - 29/08/2025  
 Place: - Washim

Witness as to Signature of Executant(s) only. Document(s) Not Prepared, Revised or Advised upon on legality or any other



1) Principal,  
 Maa Ganga College of Nursing,  
 Washim  
 Principal  
 Maa Ganga College of Nursing  
 Washim

2) Director,  
 Maa Ganga Rehabilitation and  
 Research Centre, Washim

Director  
 Maa Ganga Rehabilitation and  
 Research Center, Washim

Before Me  
 Rajendra P. Aru  
 Notary, Govt. of India  
 Washim Distt. Regd. No 11122



DEPARTMENT OF PUBLIC HEALTH

# Certification Of Registration

*Under the Bombay Nursing Homes Registration Act, 1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021  
(Under Rule 5)*

*This is to certify that*

*Shri. /Smt./Dr. **SAROJ HARISH BAHETI** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **MAA GANGA REHABILITATION & RESEARCH CENTRE** situated at **SURVEY NO. 385 AKOLA NAKA WASHIM 444505** and has been authorized to carry on the said Nursing Home.*

**No. of Beds**

A. Maternity Count	: 20
B. ICU(Adult) Count	: 10
C. ICU(Pediatric) Count	: 10
D. Other Count	: 60

---

Total : : 100

Registration Number	: MH/WAS/NH0117
Date of Registration	: 23-03-2025
Date of Issues Certificate	: 10-06-2025
Certificate is Valid upto	: 31-03-2028
Place	: WASHIM

Washim,

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 30/07/2025

No:- Format1.0/PSO/UAN No.0000170866/CE/2307001922

To,  
MAA GANGA REHABILITATION AND  
RESEARCH CENTRE  
386, Akola Naka  
Akola Washim Rd, Washim City,  
Washim -444505  
Email:[drsarojbaheti@gmail.com](mailto:drsarojbaheti@gmail.com) Contact  
No.:9423127960



*Grant of renewal of Combined consent to Operate and BMW authoration under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 16/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **07-06-2025 To 06-06-2028**
2. The capital investment of the HCF is **₹148.05 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 3298.00 M<sup>2</sup> with Built-up area 2095.00 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. MH/WAS/NH0117 valid upto 31-03-2028)
    - I. General Beds : **60 Nos**
    - II. ICU/ICU Beds : **20 Nos**
    - III. Operation Theatre :
    - IV. Maternity Beds : **20 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 20 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Global Eco Save Systems, **Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

**10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

**11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

**12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



84fe98e3  
9274af20  
9aa0c5e9  
de90f972  
f6562095  
7a364244  
0b94d886  
476b9321

Signed by: **Dr. Amar R. Supate**  
Principal Scientific Officer  
For and on behalf of  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001732	17/05/2025	Online Payment
2	1500.00	TXN2305004596	31/05/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



## HOSPITAL DETAILS

Name of the Hospital: Maa Ganga Rehabilitation and Research Centre, Washim

Distance: 03 Kms.

Specialty: Mother and Child Hospital

No. of Beds	Medical	Surgical	Orthopedic	Obst. & Gynecology	Pediatrics	ICU/ICCU	NICU	Casualty	Isolated	Private	No. of OPD per year	No. of IPD per year	No. of Deliveries / Year
100	-	-	-	20	45	12	12	3	-	8	80340	56212	923

  
Principal  
Maa Ganga College of Nursing  
Washim

Certified that this Document / Affidavit contains Pages From 1 to 2



Date - 29.08.2025



महाराष्ट्र MAHARASHTRA

2025

DN 293084



**Memorandum of Understanding**

This Understanding between -

1) President, Vasundhara Technical Institute's Maa Ganga College of Nursing, Washim

and

2) Director, Mahesh Care Hospital, Washim.

**Attested**  
**Rajendra P. Aru**  
Notary, Govt. of India  
Washim Distt.Regd.No.11122

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ७६३३ दिनांक २९/०८/२०२५  
 २. दस्ताचा प्रकार : -  
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही करार नाही  
 ४. मिळकतीचे थोडक्यात वर्णन : -  
 ५. मुद्रांक विकत घेणाराचे नांव पत्ता व सही : -  
 ६. दुस-या पक्षकाराचे नांव : -  
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये : -  
 ८. परवाना धारक मुद्रांक विक्रेत्याची सही व परवाना क्रमांक : -  
 तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता ज्या कारणा करीता ज्यांनी मुद्रांक खरेदी केला त्यांनी त्याच कारणा करीतासाठी मुद्रांक खरेदी केल्या पासून ६ महीन्यात वापरणे बंधनकारक आहे



एस. के. खंडाळकर  
 मुद्रांक विक्रेता, वाशिम  
 प. क्र. २०/१८  
 कोड नं. ६५०१००३



That, Students of Maa Ganga College of Nursing, Akola Naka, Washim – 444505 are allowed to do Practical Nursing Training in Mahesh Care Hospital, Near Maniprabha Hospital, Washim 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In-charges of Mahesh Care Hospital, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Mahesh Care Hospital, Washim is 100 bedded Hospital.  
 This agreement is effective from 01/09/2025 to 31/08/2030 (05 Years).

**Executant(s)**

Date :- 29/08/2025  
 Place :- Washim



1) President, Vasundhara Technical Institute Washim  
 Vasundhara Technical Institute's  
 Maa Ganga College of Nursing, Washim

2) Director,  
 Mahesh Care Hospital, Washim  
 Managing Director  
 Mahesh Care Hospital,  
 Washim-444505

Witness as to Signature of Executant(s) only, Document(s) Not Prepared, Revised or Advised Upon on legality or any other

Before Me  
 Rajendra P. Aru  
 Notary, Govt. of India  
 Washim Dist. Read.No 11122



DEPARTMENT OF PUBLIC HEALTH

# Certification Of Registration

*Under the Bombay Nursing Homes Registration Act,1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021  
(Under Rule 5)*

*This is to certify that*

*Shri./Smt./Dr. **Amit Chandrakant Rathi** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **Mahesh Care Hospital** situated at **City Centre Plaza, Near Hotel Maniprabha, Washim 444505** and has been authorized to carry on the said Nursing Home.*

**No. of Beds**

A. Maternity Count	: 0
B. ICU(Adult) Count	: 30
C. ICU(Pediatric) Count	: 0
D. Other Count	: 70

---

**Total :** : 100

**Registration Number** : **MH/WAS/NH00182**  
**Date of Registration** : **06-07-2025**  
**Date of Issues Certificate** : **10-07-2025**  
**Certificate is Valid upto** : **31-03-2028**  
**Place** : **WASHIM**

**Washim,**

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 31/07/2025

No:- Format1.0/PSO/UAN No.0000170868/CE/2307001924

To,  
MAHESH CARE HOSPITAL,  
City Centre Plaza, Near Maniprabha  
Hotel, Washim City, Washim -444505  
Email: [drmrathi@gmail.com](mailto:drmrathi@gmail.com)  
Contact No.:7588501686



Your Service is Our Duty

*Grant of renewal of Combined consent to Operate and BMW authoration under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 18/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **10-06-2025 To 09-06-2028**
2. The capital investment of the HCF is **₹57.86 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 767.73 M<sup>2</sup> with Built-up area 765.19 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: **100 Nos.** (As per BNH certificate no. MH/WAS/NH00182 valid upto 31-03-2028)
    - I. General Beds : **70 Nos**
    - II. ICU/ICU Beds : **30 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 20 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Global Eco Save Systems, **Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

**10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

**11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

**12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



84fe98e3  
9274af20  
9aa0c5e9  
de90f972  
f6562095  
7a364244  
0b94d886  
476b9321

Signed by: **Dr. Amar R. Supate**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001801	16/05/2025	Online Payment
2	1500.00	TXN2305004545	30/05/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		<i>Limiting Concentration in mg/except for pH</i>
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---



## HOSPITAL DETAILS

Name of the Hospital: **Maresh Care Hospital, Washim**

Distance: 01 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
100	30	30	-	10	30	-	1	1	1	1	1	34	14418	36710

  
**Principal**  
**Ganga College of Nursing,**  
**Washim**



Dt. 29.08.2025



महाराष्ट्र MAHARASHTRA

2025

DN 293086



### Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's Maa Ganga College of Nursing,  
Washim

and

2) Director, Dr. Vora Hospital, Washim.

  
**Attested**  
**Rajendra P. Aru**  
Notary, Govt. of India  
Washim Distt.Regd.No.1112.

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ७६७७ दिनांक २८/०८/२०२५  
 २. दस्ताचा प्रकार : -  
 ३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही ०८७१२५/ग  
 ४. मिळकतीचे थोडक्यात वर्णन :  
 ५. मुद्रांक विकत घेणार्याचे नांव पत्ता व सही : ल. विनायक रामकुमार  
 ६. दुस-या पक्षकाराचे नांव : श्री. नोटे ए. ए. ए. ए.  
 ७. मुद्रांक शुल्क रुपये ५००/- रुपये :  
 ८. परवाना धारक मुद्रांक विकेत्याची सही व परवाना क्रमांक :  
 तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता ज्या कारणा करीता ज्यांनी मुद्रांक खरेदी  
 केला त्यांनी त्याच कारणा करीतासाठी मुद्रांक खरेदी केल्या पासून ६ महीन्यात वापरणे  
 बंधनकारक आहे



एस. के. खडाळकर  
 मुद्रांक विक्रेता, वाशिम  
 प. क्र. २०/९८  
 कोड नं. ६५०१००३

That, Students of Maa Ganga College of Nursing, Akola Naka, Washim – 444505 are allowed to do Practical Nursing Training in Dr. Vora Hospital, Infront of Old Z.P., Washim 444505. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In-charges of Dr. Vora Hospital, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Dr. Vora Hospital, Washim is 50 bedded Hospital.

This agreement is effective from 01/09/2025 to 31/08/2030 (05 Years).

### Executant(s)

Date :- 29/08/2025

Place :- Washim



1) President, Vasundhara Technical Institute Washim  
 Vasundhara Technical Institute's  
 Maa Ganga College of Nursing, Washim

2) Director,  
 Dr. Vora Hospital, Washim

Managing Director  
 Vora Hospital, Washim-444505

Witness as to Signature of Executant(s) only, Document(s) Not Prepared, Revied or Advised Upon on legality or any other.

Before Me  
 Rajendra P. Aru  
 Notary, Govt. of India  
 Washim Distt. Regd. No 11122



DEPARTMENT OF PUBLIC HEALTH

# Certification Of Registration

*Under the Bombay Nursing Homes Registration Act,1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021  
(Under Rule 5)*

*This is to certify that*

*Shri./Smt./Dr. **Sanjay Vasant Vora** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **Dr. Vora Hospital** situated at **Infront of Old Z.P., Washim 444505** and has been authorized to carry on the said Nursing Home.*

**No. of Beds**

*A. Maternity Count : 0*  
*B. ICU(Adult) Count : 20*  
*C. ICU(Pediatric) Count : 0*  
*D. Other Count : 30*

---

*Total : 50*

*Registration Number : MH/WAS/NH00016*  
*Date of Registration : 16-07-2025*  
*Date of Issues Certificate : 18-07-2025*  
*Certificate is Valid upto : 31-03-2028*  
*Place : WASHIM*

*Washim,*

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [ps@mpcb.gov.in](mailto:ps@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/M.S.I

Date: 01/08/2025

No:- Format1.0/PSO/UAN No.0000170969/CE/2508001925

To,  
DR. VORA HOSPITAL,  
Infront of Old Z.P., Washim 444505,  
Email: [drvorahospital@gmail.com](mailto:drvorahospital@gmail.com)  
Contact No.: 9422861342



Your Service is Our Duty

*Grant of renewal of Combined consent to Operate and BMW authoration under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:** 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Formate1.0/ BO/PSO/HOD-1811000192  
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 14/05/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined consent and BMW Authorization to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **10-08-2025 To 09-07-2028**
2. The capital investment of the HCF is **₹57.86 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 767.73 M<sup>2</sup> with Built-up area 765.19 M<sup>2</sup>.
4. **Activities Included**
  - a. Total Number of Beds: **50 Nos.** (As per BNH certificate no. MH/WAS/NH00016 valid upto 31-03-2028)
    - I. General Beds : **30 Nos**
    - II. ICCU/ICU Beds : **20 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 20 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

<i>Sr No</i>	<i>Type of Waste</i>	<i>HW Category no.</i>	<i>Quantity</i>	<i>UOM</i>	<i>Disposal</i>
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Global Eco Save Systems, **Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).

**10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

**11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

**12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall extend the bank guarantee of INR 75000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



84fe98e3  
9274af20  
9aa0c5e9  
de90f972  
f6562095  
7a364244  
0b94d886  
476b9321

Signed by: **Dr. Amar R. Supate**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
pso@mpcb.gov.in



**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2305001804	02/06/2025	Online Payment
2	1500.00	TXN2305004555	05/06/2025	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II  
- - They are directed to ensure the compliance of the consent conditions.  
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	13.84	As per clause 'C'	On land for gardening
2	Trade effluent	0	As per clause 'C'	NA

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<i>Sr. No.</i>	<i>Stack Attached to</i>	<i>Fuel Type</i>	<i>Quantity</i>	<i>Stack Height (Mtr)</i>
1	DG set 20 KVA	Diesel	4.00 Ltr/Hr	1.37

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	3.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	40.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	12.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>Total</b>			<b>75,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---



## HOSPITAL DETAILS

Name of the Hospital: **Dr. Vora Hospital, Washim**

Distance: 01 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
50	20	20	-	5	5	-	1	1	1	1	1	32	14406	35412



  
**Principal**  
**Maa Ganga College of Nursing**  
**Washim**



महाराष्ट्र MAHARASHTRA

2025

DN 293083




### Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's Maa Ganga College of Nursing,  
Washim

and

2) Director, Deole Hospital, Washim.

  
**Attested**  
Rajendra P. Aru  
Notary, Govt. of India  
Washim Distt.Regd.No.11122

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ७६५९ दिनांक २८/०८/२०२५

२. दस्तावा प्रकार : -

३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही

४. मिळकतीचे थोडक्यात वर्णन : -

५. मुद्रांक विकत घेणार्याचे नांव पत्ता व सही : -

६. दुस-या पक्षकाराचे नांव : -

७. मुद्रांक शुल्क रुपये ५००/- रुपये

८. परवाना धारक मुद्रांक विकेत्याची सही व परवाना कमांक

तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता ज्या कारणा करीता ज्यांनी मुद्रांक खरेदी

केला त्यांनी त्याच कारणा करीतासाठी मुद्रांक खरेदी केल्या पासून ६ महीन्यात वापरणे बंधनकारक आहे.



एस. के. खंडाळकर

मुद्रांक विक्रेता, वाशिम

प. क्र. २०/१८

कोड नं. ६५०१००३



That, Students of Maa Ganga College of Nursing, Akola Naka, Washim – 444505 are allowed to do Practical Nursing Training in Deole Hospital, Near Zilha Parishad Shikshak Pat Sanstha Akola - Hingoli Highway Washim 444505.

As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In-charges of Deole Hospital, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Deole Hospital, Washim is 50 bedded Hospital.

This agreement is effective from 01/09/2025 to 31/08/2030 (05 Years).

**Executant(s)**

Date :- 29/08/2025

Place :- Washim



1) President,  
Vasundhara Technical Institute's  
Maa Ganga College of Nursing, Washim

2) Director,  
Deole Hospital, Washim

Managing Director  
Deole Hospital, Washim  
444505

Witness as to Signature of Executant(s) only, Document(s) Not Prepared, Revised or Advised Upon on legality or any other

Before Me  
Rajendra P. Aru  
Notary, Govt. of India  
Washim Distt. Read. No 1112\*



DEPARTMENT OF PUBLIC HEALTH

# Certification Of Registration

*Under the Bombay Nursing Homes Registration Act, 1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021  
(Under Rule 5)*

*This is to certify that*

*Shri./Smt./Dr. **Siddharth Akaram Deole** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **Deole Hospital Washim** situated at **Near Zilha Parishad Shikshak Pat Sanstha AKola - Hingoli Highway Washim 444505** and has been authorized to carry on the said Nursing Home.*

**No. of Beds**

A. Maternity Count : 0  
B. ICU(Adult) Count : 20  
C. ICU(Pediatric) Count : 0  
D. Other Count : 30

---

Total : : 50

Registration Number : **MH/WAS/NH00195**  
Date of Registration : **05-07-2025**  
Date of Issues Certificate : **08-07-2025**  
Certificate is Valid upto : **31-03-2028**  
Place : **WASHIM**

**Washim,**

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,  
0721-2563592  
Fax: 0721-2563597  
Website: <http://mpcb.gov.in>  
Email: [roamravati@mpcb.gov.in](mailto:roamravati@mpcb.gov.in)



Maharashtra Pollution  
Control Board Sahkar  
Surbhi Bapatwadi, Near  
Vivekanand Colony,  
Amravati-444606

ORANGE/S.S.I

Date: 14/12/2023

No:- Format1.0/RO/UAN No.0000188134/CO/2312001526

To,  
M/s. Deole Hospital Washim  
Deole Hospital Near Z.P.Pat Sanstha Akola - Hingoli  
Highway Washim  
Tq. & Dist. Washim  
Email: [siddharthdeole@gmail.com](mailto:siddharthdeole@gmail.com)  
Contact No.: 9011919696



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000188134& BMW Auth No.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Combined consent & authorization is granted for a period upto: 31/10/2028.

2. The capital investment of the HCF is ₹57.86 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 767.73 M<sup>2</sup> with Built-up area 765.19 M<sup>2</sup>.

**4. Activities Included**

a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. GHW REG 66 2010 valid upto 31-03-2025)

- I. General Beds : **36 Nos**
- II. ICU/ICU Beds : **14 Nos**

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 8 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
  17. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



*[Handwritten signature]*  
CS-2 P/11/15

Generated by eSignLock  
31107127  
d992deb8  
7cba6608  
88e52697  
cf2d8ba6  
df067c38  
2d500f55  
08d0560d

Signed by: Mr. S. D. Patil  
Regional Officer  
For and on behalf of,  
Maharashtra Pollution Control Board  
[roamravati@mpcb.gov.in](mailto:roamravati@mpcb.gov.in)  
2023-12-14 18:01:05 IST

Received Consent/Authorization fee of -

<b>Sr.No</b>	<b>Amount(Rs.)</b>	<b>Transaction/DR.No.</b>	<b>Date</b>	<b>Transaction Type</b>
1	25000.00	MPCB-DR-18693	24/04/2023	NEFT
2	50000.00	TXN2309002938	18/09/2023	Online Payment
3	104589.00	TXN2308003373	18/09/2023	Online Payment
4	4000.00	TXN2311002758	21/11/2023	Online Payment

**The balance combined consent & authorization fees of Rs. 36500/- will be adjusted during subsequent consent to operate (Renewal)**

**Copy to:**

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Amravati II
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	6.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	4.5	As per clause 'C'	100% Recycle
2	Trade effluent	2	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

## D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

## E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

## F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

## G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	2.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	1.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	20.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	3.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	1.50	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of CBWTF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

## Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
<b>Total</b>			1,25,000.00

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**General Conditions**

**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

## HOSPITAL DETAILS

Name of the Hospital: Deole Hospital Heart Critical Care, Washim

Distance: 02 Kms.

Specialty: Multi-Specialty

No. of Beds	Medical	Surgical	Ortho	Casualty	ICU	Dialysis	No. of OT		No. of Operation Tables		No. of Surgeries		No. of IPD per year	No. of OPD per year
							Major	Minor	Major	Minor	Per Day	Per Month		
50	15	15	-	6	14	-	1	1	1	1	1	33	14503	36313

  
Principal  
Maa Ganga College of Nursing  
Washim


Dt. 29.08.2025



महाराष्ट्र MAHARASHTRA

2025

DN 293085



Memorandum of Understanding

This Understanding between –

1) President, Vasundhara Technical Institute's, Maa Ganga College of Nursing, Washim

and

2) Director, Ingle Mansik Arogya Kendra, Washim.

*Rajendra P. Aru*  
**Attested**  
**Rajendra P. Aru**  
Notary, Govt. of India  
Washim Dist. Regd. No. 11122

१. मुद्रांक विक्री नोंदवही अंक व दिनांक : ६६९ दिनांक २५/०८/२०२५

२. दस्तावा प्रकार : -

३. दस्त नोंदणी करणार आहेत काय ? : होय/नाही

४. मिल्कतीचे थोडक्यात वर्णन : -

५. मुद्रांक विकत घेणाऱ्याचे नांव पत्ता व सही : -

६. दुस-या पक्षकाराचे नांव : -

७. मुद्रांक शुल्क रुपये ५००/- रुपये

८. परवाना धारक मुद्रांक विक्रेत्याची सही व परवाना क्रमांक

तसेच मुद्रांक विक्रीचे ठिकाणाचा पत्ता ज्या कारणा करिता ज्यांनी मुद्रांक खरेदी

केला त्यांनी त्याच कारणा करितासाठी मुद्रांक खरेदी केल्या पासून ६ महीन्यात वापरणे

बंधनकारक आहे.



महेश विभायक रामशंकर  
कांगडे यादव वीर  
seemose

एस. के. खंडाळकर  
मुद्रांक विक्रेता, वाशिम  
प. क्र. २०/१८  
कोड नं. ६५०१००३



That, Students of Maa Ganga College of Nursing, Akola Naka, Washim - 444505 are allowed to do Practical Nursing Training in Ingle Mansik Arogya Kendra, Opp. Dr. Kanade Hospital, Washim. As per the agreement between both parties, nursing students will be trained under expert supervision from the ward In-charges of Ingle Mansik Arogya Kendra, Washim & Nursing Faculties from Maa Ganga College of Nursing, Washim.

Ingle Mansik Arogya Kendra, Washim is 50 bedded Hospital.

This agreement is effective from 01/09/2025 to 31/08/2030 (05 Years).

**Executant(s)**

Date :- 29/08/2025

Place :- Washim



1) President, **Vasundhara Technical Institute**  
Washim  
Vasundhara Technical Institute's  
Maa Ganga College of Nursing,  
Washim

2) Director,  
Ingle Mansik Arogya Kendra,  
Washim

**Managing Director**  
Ingle Mansik Arogya Kendra,  
Washim -444505

Witness as to Signature of  
Executant(s) only, Document(s)  
Not Prepared, Revised or Advised  
Upon on legality or any other

**Before Me**  
**Rajendra P. Aru**  
Notary, Govt. of India  
Washim Distt. Read. No 11122



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY**

**(MSMHA)**

**Form-F**

**[See rule 66]**

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL  
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name:- Dr.Nareshkumar Govindrao Ingale

Address :-Ingale Mansik Arogya Kendra Akola-Hingoli Highway Dist Washim

No of beds:-50

Permanent Registration Certificate No. **108 /2024**


The Permanent registration certificate No. **108 /2024** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place:- Mumbai

Date:-14/05/2024

**Dr. Swapnil Lale**  
**Chief Executive Officer**  
**State Mental Health**  
**Authority, Mumbai**

Seal of the Registration Authority

  
Registration Authority  
(MSMHA)

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594  
Fax: 0721-2563597  
Website: <http://mpcb.gov.in>  
Email:  
sroamravati2@mpcb.gov.in



Sahkar Surbhi Bapatwadi,  
Near Vivekanand Colony,  
Amravati- 444606

ORANGE/S.S.I

Date: 25/11/2024

No:- Format1.0/SRO/UAN No.0000222803/CE/2411001498

To,  
INGLE MANSIK AROGYA KENDRA  
AKOLA - HINGOLI HIGHWAY,  
WASHIM - 444505.  
Email:dringle.naresh@gmail.com  
Contact No.:9370953709



*Grant of consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

**Ref:** Your application for Combine Consent and Bio-Medical Waste Authorization dated 05/10/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.

2. The capital investment of the HCF is ₹59.25 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 270.00 M<sup>2</sup> with Built-up area 424.34 M<sup>2</sup>.

**4. Activities Included**

- a. Total Number of Beds : **50 Nos.** (As per BNH certificate no.

- i. General Beds : **50 Nos**

**5. Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 4.5 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

**6. Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

**7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

**8. Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

**9. Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
  2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
  3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
  4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
  11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
  12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
  13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
  14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
  15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
  16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

**Received Consent/Authorization fee of -**

INGLE MANSIK AAROGYA KENDRA/CE/UAN No.MPCB-CONSENT-0000222803/Indus-Id.105678 (25-11-2024 02:43:53 pm) /QMS.PO6\_F01/00

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	2000.00	TXN2410000722	05/10/2024	Online Payment

**Copy to:**

1. Regional Officer, MPCB, Amravati for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



*Sushilkumar Rathod*

06d1a7fe  
c1de6313  
681c07ab  
18f49ba1  
a5b0769e  
b7eede5a  
aec77494  
cf74657f

**Signed by: Mr. Sushilkumar Rathod**  
Sub Regional Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
sroamravati2@mpcb.gov.in  
2024-11-25 14:44:13 IST



**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<i>Sr. No.</i>	<i>Purpose for water consumed</i>	<i>Water consumption quantity (CMD)</i>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	4.50
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<i>Sr. No.</i>	<i>Description</i>	<i>Permitted quantity of discharge (CMD)</i>	<i>Standards to be achieved</i>	<i>Disposal</i>
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<i>Sr. No.</i>	<i>Parameters</i>	<i>Discharge Standards applicable</i>
		<i>Limiting Concentration in mg/except for pH</i>
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**SCHEDULE-I****Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	0.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	0.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	0.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	0.00
<b>2</b>	<b>Performance</b>		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	0.00
<b>Total</b>			<b>0.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**

**General Conditions****The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---



## HOSPITAL DETAILS

Name of the Hospital: Ingle Mansik Arogya Kendra

Distance: 01 Kms.

Specialty: Mental Health

No. of Beds	Male	Female	Deaddict ion	M.R.	Private	No. of OPD per year	No. of IPD per year	No. of ECT / Year
50	15	15	10	5	5	43912	12915	285

  
Principal  
Maa Ganga College of Nursing  
Washim